

Professor Stephen Smith

Oxford Centre for Functional Magnetic Resonance Imaging of the Brain (FMRIB), which is part of:
Wellcome Centre for Integrative Neuroimaging (WIN)
Nuffield Department of Clinical Neurosciences, Oxford University

FMRIB/WIN, John Radcliffe Hospital, Headington, Oxford OX3 9DU, UK
steve@fmrib.ox.ac.uk www.fmrib.ox.ac.uk/~steve

Positions

- 2005 – University Professor of Biomedical Engineering, Department of Clinical Neurology, Oxford University
Head of Analysis, FMRIB Centre
- 2004 – 2005 University Reader in Biomedical Image Analysis, Department of Clinical Neurology, Oxford University
- 2003 – 2015 Associate Director, FMRIB
- 2002 – 2007 EPSRC Advanced Research Fellow
- 2000 – 2004 University Research Lecturer, Faculty of Clinical Medicine, Oxford University
- 1997 – 2003 Head of Image Analysis, FMRIB, Oxford University
- 1989 – 1997 Grade 7 Scientist (final post), Computer Vision and Image Processing Group,
Defence Research Agency, UK

- 2013 – 2014 Chair, Organisation for Human Brain Mapping
- 2013 – Senior Editor, NeuroImage
- 2011 – 2013 Handling Editor, NeuroImage
- 2008 – 2011 Handling Editor, Human Brain Mapping

Education

- 1996 CEng MIEE
- 1989 – 1992 D.Phil. in Computer Vision, Dept. Engineering, Oxford University
- 1986 – 1989 B.A. (hons, first class) in Physics, Oxford University

Brief Biography

Steve Smith is Professor of Biomedical Engineering and head of the Analysis Group at WIN/FMRIB. FMRIB's Analysis Group, which he started in 1997, now comprises about 30 research fellows, postdocs, students and staff, carrying out functional and structural brain image analysis and statistics research. The group has produced the brain image analysis software package FSL (FMRIB Software Library) which is widely used in many laboratories across the world.

Recent personal research has concentrated on resting state networks, showing that these correspond closely to explicit functional networks as seen in task fMRI (Smith, PNAS, 2009), showing new networks on the basis of distinct temporal dynamics (Smith, PNAS, 2012), and relating functional networks to behaviour and lifestyle (Smith, Nature Neuroscience, 2015). Currently, the FMRIB Analysis Group is playing a major role in the Human Connectome Project (Smith, TICS 2013; Smith, NeuroImage 2014), UK Biobank Imaging (Miller, Nature Neuroscience 2016), and the Developing Human Connectome Project.

Publications

Scopus: h-index=107, 229 papers, average citations per paper ~380

Bijsterbosch17book Niazy15 Smith15b Niazy11 Woolrich09b Smith09b Jenkinson01d Smith01e Smith01f Jezzard01

Journal Papers

- [1] S. Afyouni, S.M. Smith, and T.E. Nichols. Effective degrees of freedom of the Pearson's correlation coefficient under autocorrelation. *NeuroImage*, 199:609–625, 2019.
- [2] M. Bastiani, J.L.R. Andersson, L. Cordero-Grande, M. Murgasova, J. Hutter, A.N. Price, A. Makropoulos, S.P. Fitzgibbon, E. Hughes, D. Rueckert, S. Victor, M. Rutherford, A.D. Edwards, S.M. Smith, D. Tournier, J.V. Hajnal, S. Jbabdi, and S.N. Sotiropoulos. Automated processing pipeline for neonatal diffusion MRI in the developing Human Connectome Project. *NeuroImage*, 185:750–63, 2019.
- [3] L. Baxter, S. Fitzgibbon, F. Moultrie, S. Goksan, M. Jenkinson, S. Smith, J. Andersson, E. Duff, and R. Slater. Optimising neonatal fMRI data analysis: Design and validation of an extended dHCP preprocessing pipeline to characterise noxious-evoked brain activity in infants. *NeuroImage*, 186:286–300, 2019.
- [4] J. Bijsterbosch, C.F. Beckmann, M.W. Woolrich, S.M. Smith, and S.J. Harrison. The relationship between spatial configuration and functional connectivity of brain regions revisited. *eLife*, 2019.
- [5] S.Y. Bookheimer, D.H. Salat, M. Terpstra, B.M. Ances, D.M. Barch, R.L. Buckner, G.C. Burgess, S.W. Curtiss, M. Diaz-Santos, J.S. Elam, B. Fischl, D.N. Greve, H.A. Hagy, M.P. Harms, O.M. Hatch, T. Hedden, C. Hodge, K.C. Japardi, T.P. Kuhn, T.K. Ly, S.M. Smith, L.H. Somerville, K. Ugurbil, A. van der Kouwe, D. Van Essen, R.P. Woods, and E. Yacoub. The lifespan human connectome project in aging: An overview. *NeuroImage*, 185:335–48, 2019.
- [6] D. Bzdok, T.E. Nichols, and S.M. Smith. Towards algorithmic analytics for large-scale datasets. *Nature Machine Intelligence*, 1:296–306, 2019.
- [7] M.F. Glasser, T.S. Coalson, J.D. Bijsterbosch, S.J. Harrison, Harms M.P., A. Anticevic, D.C. Van Essen, and S.M. Smith. Classification of temporal ICA components for separating global noise from fMRI data: Reply to Power. *NeuroImage*, 197:435–8, 2019.
- [8] M. Hernandez-Fernandez, I. Reguly, S. Jbabdi, M. Giles, S. Smith, and S.N. Sotiropoulos. Using GPUs to accelerate computational diffusion MRI: From microstructure estimation to tractography and connectomes. *NeuroImage*, 188:598–615, 2019.
- [9] J. Mollink, S.M. Smith, L.T. Elliott, M. Kleinnijenhuis, M. Hiemstra, F. Alfaro-Almagro, J. Marchini, A.-M. van Cappellen van Walsum, S. Jbabdi, and K.L. Miller. The spatial correspondence and genetic influence of interhemispheric connectivity with white matter microstructure. *Nature Neuroscience*, 22:809–19, 2019.
- [10] L. Nobis, S.G. Manohar, S.M. Smith, F. Alfaro-Almagro, M. Jenkinson, C.E. Mackay, and M. Husain. Hippocampal volume across age: Nomograms derived from over 19,700 people in UK Biobank. *NeuroImage: Clinical*, 23:101904, 2019.
- [11] R. Sala-Llonch, S.M. Smith, M. Woolrich, and E.P. Duff. Spatial parcellations, spectral filtering, and connectivity measures in fMRI: Optimizing for discrimination. *Human Brain Mapping*, 40(2):407–19, 2019.
- [12] S.M. Smith, D. Vidaurre, F. Alfaro-Almagro, T.E. Nichols, and K.L. Miller. Estimation of brain age delta from brain imaging. *NeuroImage*, 200:528–539, 2019.
- [13] S.M. Smith, E. Duff, A. Groves, T.E. Nichols, S. Jbabdi, L.T. Westlye, C.K. Tamnes, A. Engvig, K.B. Walhovd, A.M. Fjell, H. Johansen-Berg, and G. Douaud. Structural variability in the human brain reflects fine-grained functional architecture at the population level. *J Neuroscience*, 39(31):6136–49, 2019.
- [14] T. Spisàk, Z. Spisàk, N. Zunhammer, U. Bingel, S. Smith, T. Nichols, and T. Kincses. Probabilistic TFCE: A generalized combination of cluster size and voxel intensity to increase statistical power. *NeuroImage*, 185:12–26, 2019.
- [15] A. Wiberg, M. Ng, Y. Al Omran, F. Alfaro-Almagro, P. McCarthy, J. Marchini, D.L. Bennett, S. Smith, G. Douaud, and D. Furniss. Handedness, language areas and neuropsychiatric diseases: insights from brain imaging and genetics. *Brain*, 142(10):2938–47, 2019.
- [16] K. Zarnani, T.E. Nichols, F. Alfaro-Almagro, B. Fagerlund, M. Lauritzen, E. Rostrup, and S.M. Smith. Discovering markers of healthy aging: a prospective study in a Danish male birth cohort. *Aging*, 11(16):5943–74, 2019.
- [17] L.T. Elliott, K. Sharp, F. Alfaro-Almagro, S. Shi, K.L. Miller, G. Douaud, J. Marchini, and S.M. Smith. Genome-wide association studies of brain imaging phenotypes in UK Biobank. *Nature*, 562:210–216, 2018.

- [18] S.M. Smith and T.E. Nichols. Statistical challenges in “big data” human neuroimaging. *Neuron*, 97:263–268, 2018.
- [19] F. Alfaro-Almagro, M. Jenkinson, N.K. Bangerter, J.L.R. Andersson, L. Griffanti, G. Douaud, S.N. Sotiropoulos, S. Jbabdi, M. Hernandez-Fernandez, E. Valee, D. Vidaurre, M. Webster, P. McCarthy, C. Rorden, A. Daducci, D.C. Alexander, H. Zhang, I. Dragonu, P.M. Matthews, K.L. Miller, and S.M. Smith. Image processing and quality control for the first 10,000 brain imaging datasets from UK Biobank. *NeuroImage*, 166:400–424, 2018.
- [20] J. Bijsterbosch, M.W. Woolrich, M.F. Glasser, E.C. Robinson, C.F. Beckmann, D.C. Van Essen, S.J. Harrison, and S.M. Smith. The relationship between spatial configuration and functional connectivity of brain regions. *eLife*, 2018.
- [21] J.D. Bijsterbosch, T.L. Ansari, S. Smith, O. Gauld, O. Zika, S. Boessenkool, M. Browning, A. Reinecke, and S.J. Bishop. Stratification of MDD and GAD patients by resting state brain connectivity predicts cognitive bias. *NeuroImage Clinical*, 19:425–433, 2018.
- [22] J. Bozek, A. Makropoulos, A. Schuh, S. Fitzgibbon, R. Wright, M.F. Glasser, T.S. Coalson, J. O’Muircheartaigh, J. Hutter, A.N. Price, L. Cordero-Grande, R.P.A.G. Teixeira, E. Hughes, N. Tusor, K.P. Baruteau, M.A. Rutherford, D.A. Edwards, J.V. Hajnal, S.M. Smith, D. Rueckert, M. Jenkinson, and E.C. Robinson. Construction of a neonatal cortical surface atlas using Multimodal Surface Matching in the Developing Human Connectome Project. *NeuroImage*, 179:11–29, 2018.
- [23] G.L. Colclough, M.W. Woolrich, S.J. Harrison, P.A. Rojas Lopez, P.A. Valdes-Sosa, and S.M. Smith. Multi-subject hierarchical inverse covariance modelling improves estimation of functional brain networks. *NeuroImage*, 178:370–384, 2018.
- [24] E.P. Duff, T. Makin, M. Cottaar, S.M. Smith, and M.W. Woolrich. Disambiguating brain functional connectivity. *NeuroImage*, 173:540–550, 2018.
- [25] M.F. Glasser, T.S. Coalson, J.D. Bijsterbosch, S.J. Harrison, Harms M.P., A. Anticevic, D.C. Van Essen, and S.M. Smith. Using temporal ICA to selectively remove global noise while preserving global signal in functional MRI data. *NeuroImage*, 181:692–717, 2018.
- [26] M.P. Harms, L.H. Somerville, B.M. Ances, J. Andersson, D.M. Barch, M. Bastiani, S.Y. Bookheimer, T.B. Brown, R.L. Buckner, G.C. Burgess, T.S. Coalson, M.A. Chappell, M. Dapretto, G. Douaud, B. Fischl, M.F. Glasser, D.N. Greve, C. Hodge, K.W. Jamison, S. Jbabdi, S. Kandala, X. Li, R.W. Mair, S. Mangia, D. Marcus, D. Mascali, S. Moeller, T.E. Nichols, E.C. Robinson, D.H. Salat, S.M. Smith, S.N. Sotiropoulos, M. Terpstra, K.M. Thomas, M.D. Tisdall, K. Ugurbil, A. van der Kouwe, R.P. Woods, L. Zöllei, D.C. Van Essen, and E. Yacoub. Extending the Human Connectome Project across ages: Imaging protocols for the Lifespan Development and Aging projects. *NeuroImage*, 183:972–84, 2018.
- [27] A. Makropoulos, E.C. Robinson, A. Schuh, R. Wright, S. Fitzgibbon, J. Bozek, S.J. Counsell, J. Steinweg, K. Vecchiato, J. Passerat-Palmbach, G. Lenz, F. Mortari, T. Tenev, E.P. Duff, M. Bastiani, L. Cordero-Grande, E. Hughes, N. Tusor, D. Tournier, J. Hutter, A.N. Price, R.P.A.G. Teixeira, M. Murgasova, S. Victor, C. Kelly, M.A. Rutherford, S.M. Smith, A.D. Edwards, J.V. Hajnal, M. Jenkinson, and D. Rueckert. The developing human connectome project: A minimal processing pipeline for neonatal cortical surface reconstruction. *NeuroImage*, 173:88–112, 2018.
- [28] E.C. Robinson, K. Garcia, M.F. Glasser, Z. Chen, T.S. Coalson, A. Makropoulos, J. Bozek, R. Wright, A. Schuh, M. Webster, J. Hutter, A. Price, L. Cordero Grande, E. Hughes, N. Tusor, P.V. Bayly, D.C. Van Essen, S.M. Smith, Edwards A.D., J. Hajnal, M. Jenkinson, B. Glocker, and D. Rueckert. Multimodal surface matching with higher-order smoothness constraints. *NeuroImage*, 167:453–465, 2018.
- [29] S. Schwab, R. Harbord, V. Zerbi, L. Elliott, S. Afyouni, J.Q. Smith, M.W. Woolrich, S.M. Smith, and T.E. Nichols. Directed functional connectivity using dynamic graphical models. *NeuroImage*, 175:340–353, 2018.
- [30] L.H. Somerville, S.Y. Bookheimer, R.L. Buckner, G.C. Burgess, S.W. Curtiss, M. Dapretto, J.S. Elam, M.S. Gaffrey, M.P. Harms, C. Hodge, S. Kandala, E.K. Kastman, T.E. Nichols, B.L. Schlaggar, S.M. Smith, K.M. Thomas, E. Yacoub, D.C. Van Essen, and D.M. Barch. The Lifespan Human Connectome Project in Development: A large-scale study of brain connectivity development in 5-21 year olds. *NeuroImage*, 183:456–468, 2018.
- [31] D. Vidaurre, R. Abeyesuriya, R. Becker, A.J. Quinn, F. Alfaro-Almagro, S.M. Smith, and M.W. Woolrich. Discovering dynamic brain networks from big data in rest and task. *NeuroImage*, 180:646–656, 2018.
- [32] J. Bijsterbosch, S. Harrison, E. Duff, F. Alfaro-Almagro, M. Woolrich, and S. Smith. Investigations into within- and between-subject resting-state amplitude variations. *NeuroImage*, 159:57–69, 2017.

- [33] G.L. Colclough, S.M. Smith, T.E. Nichols, A.W. Winkler, S.N. Sotiropoulos, M.F. Glasser, D.C. Van Essen, and M.W. Woolrich. The heritability of multi-modal connectivity in human brain activity. *eLife*, 2017.
- [34] L. Griffanti, G. Douaud, J. Bijsterbosch, S. Evangelisti, F. Alfaro-Almagro, M.F. Glasser, E.P. Duff, S. Fitzgibbon, R. Westphal, D. Carone, C.F. Beckmann, and S.M. Smith. Hand classification of fMRI ICA noise components. *NeuroImage*, 154:188–205, 2017.
- [35] A.R. Laird, M.C. Riedel, M. Okoe, R. Jianu, K.L. Ray, S.B. Eickhoff, S.M. Smith, P.T. Fox, and M.T. Sutherland. Heterogeneous fractionation profiles of meta-analytic coactivation networks. *NeuroImage*, 149:424–435, 2017.
- [36] J.P. Lerch, A.J.W van der Kouwe, A. Raznahan, T. Paus, H. Johansen-Berg, K.L. Miller, S.M. Smith, B. Fischl, and S.N. Sotiropoulos. Studying neuroanatomy using MRI. *Nature Neuroscience*, 20:314–326, 2017.
- [37] L.D Nickerson, S.M. Smith, D. Önger, and C.F. Beckmann. Using dual regression to investigate network shape and amplitude in functional connectivity analyses. *Frontiers in Neuroscience*, 2017.
- [38] S. Suri, A. Topiwala, N. Filippini, E. Zsoldos, A. Mahmood, C.E. Sexton, A. Singh-Manoux, M. Kivimake, C.E. Mackay, S.M. Smith, and K.P. Ebmeier. Distinct resting-state functional connections associated with episodic and visuospatial memory in older adults. *NeuroImage*, 159:122–130, 2017.
- [39] D. Vidaurre, S.M. Smith, and M.W. Woolrich. Brain network dynamics are hierarchically organized in time. *PNAS*, 114(28):12827–12832, 2017.
- [40] M. Chiew, N.N. Graedel, J.A. McNab, S.M. Smith, and K.L. Miller. Accelerating functional MRI using fixed-rank approximations and radial-cartesian sampling. *Magnetic Resonance in Medicine*, 76(6):1825–1836, 2016.
- [41] M.F. Glasser, T.S. Coalson, E.C. Robinson, C.D. Hacker, J. Harwell, E. Yacoub, K. Ugurbil, J. Andersson, C.F. Beckmann, M. Jenkinson, S.M. Smith, and D.C. Van Essen. A multi-modal parcellation of human cerebral cortex. *Nature*, 536:171–178, 2016.
- [42] M.F. Glasser, S.M. Smith, D.S. Marcus, J.L.R. Andersson, E.J. Auerbach, T.E.J. Behrens, T.S. Coalson, M.P. Harms, M. Jenkinson, S. Moeller, E.C. Robinson, S.N. Sotiropoulos, J. Xu, E. Yacoub, K. Ugurbil, and D.C. Van Essen. The Human Connectome Project’s neuroimaging approach. *Nature Neuroscience*, 19:1175–1187, 2016.
- [43] T. Kaufmann, T. Elvsåshagen, D. Alnæs, N. Zak, P.Ø. Pedersen, L.B. Norbom, S.H. Quraishi, E. Tagliazucchi, H. Laufs, A. Bjørnerud, U.F. Malt, O.A. Andreassen, E. Roussos, E.P. Duff, S.M. Smith, I.R. Groote, and L.T. Westlye. The brain functional connectome is robustly altered by lack of sleep. *NeuroImage*, 127:324–332, 2016.
- [44] K.L. Miller, F. Alfaro-Almagro, N.K. Bangerter, D.L. Thomas, E. Yacoub, J. Xu, A.J. Bartsch, S. Jbabdi, S.N. Sotiropoulos, J.L.R. Andersson, L. Griffanti, G. Douaud, T.W. Okell, P. Weale, I. Dragonu, S. Garratt, S. Hudson, R. Collins, M. Jenkinson, P.M. Matthews, and S.M. Smith. Multimodal population brain imaging in the UK Biobank prospective epidemiological study. *Nature Neuroscience*, 19:1523–1536, 2016.
- [45] S. Smith. Linking cognition to brain connectivity. *Nature Neuroscience*, 19:7–9, 2016.
- [46] I. Tavor, O. Parker Jones, R.B. Mars, S.M. Smith, T.E. Behrens, and S. Jbabdi. Task-free MRI predicts individual differences in brain activity during task performance. *Science*, 352(6282):216–220, 2016.
- [47] A.M. Winkler, M.A. Webster, J.C. Brooks, I. Tracey, S.M. Smith, and T.E. Nichols. Non-parametric combination and related permutation tests for neuroimaging. *Human Brain Mapping*, 37(4):1486–1511, 2016.
- [48] A.M. Winkler, G.R. Ridgway, G. Douaud, T.E. Nichols, and S.M. Smith. Faster permutation inference in brain imaging. *NeuroImage*, 141:502–516, 2016.
- [49] D. Alnæs, T. Kaufmann, G. Richard, E. Duff, M.H. Sneve, T. Endestad, J.E. Norvdvik, O.A. Andreassen, S.M. Smith, and L.T. Westlye. Attentional load modulates large-scale functional brain connectivity beyond the core attention networks. *NeuroImage*, 109:260–272, 2015.
- [50] J. Bijsterbosch, S. Smith, and S.J. Bishop. Functional connectivity under anticipation of shock: correlates of trait anxious affect versus induced anxiety. *Journal of Cognitive Neuroscience*, 27(9):1840–1853, 2015.
- [51] G.L. Colclough, M.J. Brookes, S.M. Smith, and M.W. Woolrich. A symmetric multivariate leakage correction for MEG connectomes. *NeuroImage*, 117:439–448, 2015.
- [52] E.P. Duff, W. Vennart, R. Wise, M.A. Howard, R.E. Harris, M. Lee, K. Wartolowska, V. Wanigasekera, F.J. Wilson, M. Whitlock, I. Tracey, M.W. Woolrich, and S.M. Smith. Learning to identify CNS drug action and efficacy using multi-study fMRI data. *Science Translational Medicine*, 7(274):274ra16, 2015.

- [53] R.A. Feis, S.M. Smith, N. Filippini, G. Douaud, E.G.P. Dopfer, V. Heise, A.J. Trachtenberg, J.C. van Swieten, M.A. van Buchem, S.A.R.B. Rombouts, and C.E. Mackay. ICA-based artifact removal diminishes scan site differences in multi-center resting-state fMRI. *Frontiers in Neuroscience*, 9:10.3389/fnins.2015.00395, 2015.
- [54] L. Griffanti, O. Dipasquale, M.M. Laganà, R. Nemni, M. Clerici, S.M. Smith, G. Baselli, and F. Baglio. Effective artifact removal in resting state fMRI data improves detection of DMN functional connectivity alteration in Alzheimer's disease. *Frontiers in Human Neuroscience*, 9(449):10.3389/fnhum.2015.00449, 2015.
- [55] S.J. Harrison, M.W. Woolrich, E.C. Robinson, M.F. Glasser, C.F. Beckmann, M. Jenkinson, and S.M. Smith. Large-scale Probabilistic Functional Modes from resting state fMRI. *NeuroImage*, 109:217–231, 2015.
- [56] F. Jernerén, A.K. Elshorbagy, A. Oulhaj, S.M. Smith, H. Refsum, and A.D. Smith. Brain atrophy in cognitively impaired elderly: the importance of long-chain omega-3 fatty acids and B-vitamin status in a randomized controlled trial. *American Journal of Clinical Nutrition*, 102(1):215–221, 2015.
- [57] T. Kaufmann, K.C. Skåtun, D. Alnæs, N.T. Doan, E.P. Duff, S. Tønnesen, E. Roussos, T. Ueland, S.R. Aminoff, T.V. Lagerberg, I. Agartz, I.S. Melle, S.M. Smith, O.A. Andreassen, and L. Westlye. Disintegration of sensorimotor brain networks in schizophrenia. *Schizophrenia Bulletin*, 41(6):1326–1335, 2015.
- [58] S. Smith, T. Nichols, D. Vidaurre, A. Winkler, T. Behrens, M. Glasser, K. Ugurbil, D. Barch, D. Van Essen, and K. Miller. A positive-negative mode of population covariation links brain connectivity, demographics and behavior. *Nature Neuroscience*, 18:1565–1567, 2015.
- [59] A.M. Winkler, M.A. Webster, D. Vidaurre, T.E. Nichols, and S.M. Smith. Multi-level block permutation. *NeuroImage*, 123:253–268, 2015.
- [60] A.P. Baker, M.J. Brookes, H.T. Luckhoo, I.A. Rezek, S.M. Smith, T.E.J. Behrens, P.J. Probert Smith, and M.W. Woolrich. Fast transient networks in spontaneous human brain activity. *eLife*, 3:e01867, 2014.
- [61] J. Bijsterbosch, S. Smith, S. Forster, O.P. John, and S. Bishop. Resting state correlates of sub-dimensions of anxious affect. *Journal of Cognitive Neuroscience*, 26(4):914–926, 2014.
- [62] M. Chiew, S.M. Smith, P.J. Koopmans, N.N. Graedel, T. Blumensath, and K.L. Miller. k-t FASTER: Acceleration of fMRI data acquisition using low rank constraints. *Magnetic Resonance in Medicine*, 74(2):353–364, 2014.
- [63] I.A. Clark, K.E. Niehaus, E.P. Duff, M.C. Di Simplicio, G.D. Clifford, S.M. Smith, C.E. Mackay, M.W. Woolrich, and E.A. Holmes. First steps in using machine learning on fMRI data to predict intrusive memories of traumatic film footage. *Behaviour Research and Therapy*, 62:37–46, 2014.
- [64] F.A. Cowdrey, N. Filippini, R. Park, S. Smith, and C. McCabe. Increased resting state functional connectivity in recovered anorexia nervosa patients. *Human Brain Mapping*, 35(2):483–91, 2014.
- [65] G. Douaud, A.R. Groves, C.K. Tamnes, L.T. Westlye, E. Duff, A. Engvig, K.B. Walhovd, A. James, A. Gass, A.U. Monsch, P.M. Matthews, A.M. Fjell, S.M. Smith, and H. Johansen-Berg. A common brain network links development, aging and vulnerability to disease. *PNAS*, 111(49):17648–17653, 2014.
- [66] N. Filippini, E. Zsoldos, R. Haapakoski, C.E. Sexton, A. Mahmood, Allan C.L., A. Topiwala, V. Valkanova, E.J. Brunner, M.J. Shipley, E. Auerbach, S. Moeller, K. Ugurbil, J. Xu, E. Yacoub, J. Andersson, J. Bijsterbosch, S. Clare, L. Griffanti, A.T. Hess, M. Jenkinson, K.L. Miller, G. Salimi-Khorshidi, S.N. Sotiropoulos, N.L. Voets, S.M. Smith, J.R. Geddes, A. Singh-Manoux, C.E. Mackay, M. Kivimäki, and K.P. Ebmeier. Study protocol: the Whitehall II imaging sub-study. *BMC Psychiatry*, 14:159, 2014.
- [67] L. Griffanti, G. Salimi-Khorshidi, C.F. Beckmann, E.J. Auerbach, G. Douaud, C.E. Sexton, E. Zsoldos, K. Ebmeier, N. Filippini, C.E. Mackay, S. Moeller, J.G. Xu, E. Yacoub, G. Baselli, K. Ugurbil, K.L. Miller, and S.M. Smith. ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. *NeuroImage*, 95:232–247, 2014.
- [68] M. Mennes, M. Jenkinson, R. Valabregue, J.K. Buitelaar, C.F. Beckmann, and S. Smith. Optimizing full-brain coverage in human brain MRI through population distributions of brain size. *NeuroImage*, 98:513–520, 2014.
- [69] E.C. Robinson, S. Jbabdi, M.F. Glasser, J. Andersson, G.C. Burgess, M.P. Harms, S.M. Smith, D.C. Van Essen, and M. Jenkinson. MSM: a new flexible framework for Multimodal Surface Matching. *NeuroImage*, 100:414–426, 2014.

- [70] G. Salimi-Khorshidi, G. Douaud, C.F. Beckmann, M.F. Glasser, L. Griffanti, and S.M. Smith. Automatic denoising of functional MRI data: Combining independent component analysis and hierarchical fusion of classifiers. *NeuroImage*, 90:449–468, 2014.
- [71] S.M. Smith, A. Hyvärinen, G. Varoquaux, K.L. Miller, and C.F. Beckmann. Group-PCA for very large fMRI datasets. *NeuroImage*, 101:738–749, 2014.
- [72] C. Stagg, V. Bachtiar, U. Amadi, C. Gudberg, A. Ilie, C. Sampaio-Baptista, J. O’Shea, M. Woolrich, S. Smith, N. Fillipini, J. Near, and H. Johansen-Berg. Local GABA concentration is related to network-level resting functional connectivity. *eLife*, 3:e01465, 2014.
- [73] A.M. Winkler, G.R. Ridgway, M.A. Webster, S.M. Smith, and T.E. Nichols. Permutation inference for the general linear model. *NeuroImage*, 92:381–397, 2014.
- [74] D.M. Barch, G.C. Burgess, M.P. Harms, S.E. Petersen, B.L. Schlaggar, M. Corbetta, M.F. Glasser, S. Curtiss, S. Dixit, C. Feldt, D. Nolan, E. Bryant, T. Hartley, O. Footer, J.M. Bjork, R. Poldrack, S. Smith, H. Johansen-Berg, A.Z. Snyder, and Van Essen, D. - for the WU-Minn HCP Consortium. Function in the Human Connectome: Task-fMRI and individual differences in behavior. *NeuroImage*, 80:169–189, 2013.
- [75] T. Blumensath, S. Jbabdi, M.F. Glasser, D.C. Van Essen, K. Ugurbil, T.E. Behrens, and S.M. Smith. Spatially constrained hierarchical parcellation of the brain with resting-state FMRI. *NeuroImage*, 76:313–324, 2013.
- [76] M. de Groot, M.W. Vernooij, S. Klein, A. Ikram, F.M. Vos, S.M. Smith, W.J. Niessen, and J.L.R. Andersson. Improving alignment in tract-based spatial statistics: evaluation and optimization of image registration. *NeuroImage*, 76:400–411, 2013.
- [77] G. Douaud, R. Menke, A. Gass, A. Monsch, A. Rao, B. Whitcher, G. Zamboni, P. Matthews, M. Sollberger, and S. Smith. Brain microstructure reveals early abnormalities more than two years prior to clinical progression from mild cognitive impairment to Alzheimer’s disease. *Journal of Neuroscience*, 33(5):2147–2155, 2013.
- [78] G. Douaud, H. Refsum, C.A. de Jager, R. Jacoby, T.E. Nichols, S.M. Smith, and A.D. Smith. Preventing Alzheimer’s disease-related gray matter atrophy by B-vitamin treatment. *PNAS*, 110(23):9523–8, 2013.
- [79] A. Hyvärinen and S.M. Smith. Pairwise likelihood ratios for estimation of non-Gaussian structural equation models. *Journal of Machine Learning Research*, 14:111–152, 2013.
- [80] K.L. Ray, D.R. McKay, P.M. Fox, M.C. Riedel, A.M. Uecker, C.F. Beckmann, S.M. Smith, P.T. Fox, and A. Laird. ICA model order selection of task co-activation networks. *Frontiers in Systems Neuroscience*, 7(237):1–12, 2013.
- [81] S.M. Smith, J. Andersson, E.J. Auerbach, C.F. Beckmann, J. Bijsterbosch, G. Douaud, E. Duff, D.A. Feinberg, L. Griffanti, M.P. Harms, M. Kelly, T. Laumann, K.L. Miller, S. Moeller, S. Petersen, J. Power, G. Salimi-Khorshidi, A.Z. Snyder, A. Vu, M.W. Woolrich, J. Xu, E. Yacoub, K. Ugurbil, D.C. Van Essen, and Glasser, M. - for the WU-Minn HCP Consortium. Resting-state fMRI in the Human Connectome Project. *NeuroImage*, 80:144–168, 2013.
- [82] S.M. Smith, D. Vidaurre, C.F. Beckmann, M.F. Glasser, M. Jenkinson, K.L. Miller, T.E. Nichols, E. Robinson, G. Salimi-Khorshidi, M.W. Woolrich, D.M. Barch, K. Ugurbil, and D.C. Van Essen. Functional connectomics from resting-state fMRI. *Trends in Cognitive Sciences*, 17(12):666–682, 2013.
- [83] L. Tian, Y. Kong, J. Ren, G. Varoquaux, Y. Zang, and S. Smith. Spatial vs. temporal features in ICA of resting-state fMRI - A quantitative and qualitative investigation in the context of response inhibition. *PLoS ONE*, 8(6):e66572, 2013.
- [84] K. Ugurbil, J. Xu, E.J. Auerbach, S. Moeller, A. Vu, J.M. Duarte-Carvajalino, C. Lenglet, X. Wu, S. Schmitter, P.F. Van de Moortele, J. Strupp, G. Sapiro, F. De Martino, D. Wang, N. Harel, M. Garwood, L. Chen, D.A. Feinberg, S.M. Smith, K.L. Miller, S.N. Sotiropoulos, S. Jbabdi, J.L. Andersson, T.E.J. Behrens, M.F. Glasser, D.C. Van Essen, and Yacoub, E. - for the WU-Minn HCP Consortium. Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. *NeuroImage*, 80:80–104, 2013.
- [85] D.C. Van Essen, S.M. Smith, D.M. Barch, T.E. Behrens, E. Yacoub, and Ugurbil, K. - for the WU-Minn HCP Consortium. The WU-Minn Human Connectome Project: An overview. *NeuroImage*, 80:62–79, 2013.
- [86] J. Xu, S. Moeller, E.J. Auerbach, J. Strupp, S.M. Smith, D.A. Feinberg, E. Yacoub, and K. Ugurbil. Evaluation of slice accelerations using multiband echo planar imaging at 3 Tesla. *NeuroImage*, 83:991–1001, 2013.

- [87] G. Zamboni, G.K. Wilcock, G. Douaud, E. Drazich, E. McCulloch, N. Filippini, I. Tracey, J.C.W. Brooks, S.M. Smith, M. Jenkinson, and C.E. Mackay. Resting functional connectivity reveals residual functional activity in Alzheimer's disease. *Biological Psychiatry*, 74(5):375–83, 2013.
- [88] M.J. Donahue, H. Hoogduin, S.M. Smith, J.C.W. Siero, M. Chappell, N. Petridou, P. Jezzard, P.R. Luijten, and J. Hendrikse. Spontaneous BOLD fMRI signal is modulated by behavioral state and correlates with evoked response in sensorimotor cortex: A 7.0 Tesla fMRI study. *Human Brain Mapping*, 33(3):511–522, 2012.
- [89] E.P. Duff, A.J. Tractenberg, C.E. Mackay, M.A. Howard, F. Wilson, S.M. Smith, and M.W. Woolrich. Task-driven ICA feature generation for accurate and interpretable prediction using FMRI. *NeuroImage*, 60(1):189–203, 2012.
- [90] A.R. Groves, S.M. Smith, A.M. Fjell, C.K. Tamnes, K.B. Walhovd, G. Douaud, M.W. Woolrich, and L.T. Westlye. Benefits of multi-modal fusion analysis on a large-scale dataset: Life-span patterns of inter-subject variability in cortical morphometry and white matter microstructure. *NeuroImage*, 63(1):365–380, 2012.
- [91] N. Filippini, L.D. Nickerson, C.F. Beckmann, K.P. Ebmeier, G.B. Frisoni, P.M. Matthews, S.M. Smith, and C.E. Mackay. Age-related adaptations of brain function during a memory task are also present at rest. *NeuroImage*, 59(4):3821–3828, 2012.
- [92] M. Jenkinson, C.F. Beckmann, T.E.J. Behrens, M.W. Woolrich, and S.M. Smith. FSL. *NeuroImage*, 62:782–790, 2012.
- [93] M.J. Hawrylycz, E.S. Lein, A.L. Guillozet-Bongaarts, E.H. Shen, L. Ng, J.A. Miller, L.N. van de Lagemaat, K.A. Smith, A. Ebbert, Z.L. Riley, C. Abajian, C.F. Beckmann, A. Bernard, D. Bertagnolli, A.F. Boe, P.M. Cartagena, M.M. Chakravarty, M. Chapin, J. Chong, R.A. Dalley, B.D. Daly, C. Dang, S. Datta, N. Dee, T.A. Dolbeare, V. Faber, D. Feng, D.R. Fowler, J. Goldy, B.W. Gregor, Z. Haradon, D.R. Haynor, J.G. Hohmann, S. Horvath, R.E. Howard, A. Jeromin, J.M. Jochim, M. Kinnunen, C. Lau, E.T. Lazarz, C. Lee, T.A. Lemon, L. Li, Y. Li, J.A. Morris, C.C. Overly, P.D. Parker, S.E. Parry, M. Reding, J.J. Royall, J. Schulkin, P.A. Sequeira, C.R. Slaughterbeck, S.C. Smith, A.J. Sodt, S. Sunkin, B.E. Swanson, M.P. Vawter, D. Williams, P. Wohnoutka, H.R. Zielke, D.H. Geschwind, P.R. Hof, S.M. Smith, C. Koch, S.G.N. Grant, and A.R. Jones. An anatomically comprehensive atlas of the adult human brain transcriptome. *Nature*, 489:391–399, 2012.
- [94] S.M. Smith, P.A. Bandettini, K.L. Miller, T.E.J. Behrens, K.J. Friston, O. David, T. Liu, M.W. Woolrich, and T.E. Nichols. The danger of systematic bias in group-level FMRI-lag-based causality estimation. *NeuroImage*, 59:1228–9, 2012.
- [95] S.M. Smith. The future of FMRI connectivity. *NeuroImage*, 62:1257–1266, 2012.
- [96] S.M. Smith, K.L. Miller, S. Moeller, J. Xu, E.J. Auerbach, M.W. Woolrich, C.F. Beckmann, M. Jenkinson, J. Andersson, M.F. Glasser, D. Van Essen, D. Feinberg, E. Yacoub, and K. Ugurbil. Temporally-independent functional modes of spontaneous brain activity. *Proc Natl Acad Sci USA (PNAS)*, 109(8):3131–6, 2012.
- [97] A.J. Trachtenberg, N. Filippini, K.P. Ebmeier, S.M. Smith, F. Karpe, and C.E. Mackay. The effects of APOE on the functional architecture of the resting brain. *NeuroImage*, 59(1):565–572, 2012.
- [98] D.C. Van Essen, K. Ugurbil, E. Auerbach, D. Barch, T.E.J. Behrens, R. Bucholz, A. Chang, L. Chen, M. Corbetta, S.W. Curtiss, S. Della Penna, D. Feinberg, M.F. Glasser, N. Harel, A.C. Heath, L. Larson-Prior, D. Marcus, G. Michalareas, S. Moeller, R. Oostenveld, S.E. Petersen, F. Prior, B.L. Schlaggar, S.M. Smith, A.Z. Snyder, J. Xu, E. Yacoub, and WU-Minn HCP Consortium. The Human Connectome Project: A data acquisition perspective. *NeuroImage*, 62(4):2222–2231, 2012.
- [99] K.E. Watkins, A. Cowey, A. Alexander, N. Filippini, J. Kennedy, S.M. Smith, N. Ragge, and H. Bridge. Language networks in anophthalmia: maintained hierarchy of processing in 'visual' cortex. *Brain*, 135(5):1566–1577, 2012.
- [100] M.J. Brookes, M.W. Woolrich, H. Luckhoo, D. Price, J.R. Hale, M.C. Stephenson, G.R. Barnes, S.M. Smith, and P.G. Morris. Investigating the electrophysiological basis of resting state networks using magnetoencephalography. *Proc Natl Acad Sci USA (PNAS)*, 108(40):16783–16788, 2011.
- [101] G. Douaud, S. Jbabdi, T. Behrens, R. Menke, A. Gass, A. Monsch, A. Rao, B. Whitcher, G. Kindlmann, P. Matthews, and S. Smith. DTI measures in crossing-fibre areas: Increased diffusion anisotropy reveals early white matter alteration in MCI and mild Alzheimer's disease. *NeuroImage*, 55(3):880–890, 2011.
- [102] N. Filippini, K.P. Ebmeier, B.J. MacIntosh, A.J. Trachtenberg, G.B. Frisoni, G.K. Wilcock, C.F. Beckmann, S.M. Smith, P.M. Matthews, and C.E. Mackay. Differential effects of the APOE genotype on brain function across the lifespan. *NeuroImage*, 54(1):602–610, 2011.

- [103] A.R. Groves, C.F. Beckmann, S.M. Smith, and M.W. Woolrich. Linked independent component analysis for multi-modal data fusion. *NeuroImage*, 54(3):2198–2217, 2011.
- [104] A.R. Laird, P.M. Fox, S.B. Eickhoff, J.A. Turner, K.L. Ray, D.R. McKay, D.C. Glahn, C.F. Beckmann, S.M. Smith, and P.T. Fox. Behavioral interpretations of intrinsic connectivity networks. *Journal of Cognitive Neuroscience*, 23(12):4022–4037, 2011.
- [105] K.L. Miller, C.J. Stagg, G. Douaud, S. Jbabdi, S.M. Smith, T.E. Behrens, M. Jenkinson, S.A. Chance, M.M. Esiri, N.L. Voets, N. Jenkinson, T.Z. Aziz, M. Turner, H. Johansen-Berg, and J.A. McNab. Diffusion imaging of whole, post-mortem human brains on a clinical MRI scanner. *NeuroImage*, 57(1):167–181, 2011.
- [106] B. Patenaude, S.M. Smith, D.N. Kennedy, and M. Jenkinson. A Bayesian model of shape and appearance for subcortical brain segmentation. *NeuroImage*, 56(3):907–922, 2011.
- [107] G. Salimi-Khorshidi, S.M. Smith, and T.E. Nichols. Adjusting the effect of nonstationarity in cluster-based and TFCE inference. *NeuroImage*, 54(3):2006–2019, 2011.
- [108] G. Salimi-Khorshidi, T.E. Nichols, S.M. Smith, and M.W. Woolrich. Using Gaussian-process regression for meta-analytic neuroimaging inference based on sparse observations. *IEEE Trans. on Medical Imaging*, 30(7):1401–1416, 2011.
- [109] S.M. Smith, K.L. Miller, G. Salimi-Khorshidi, M. Webster, C.F. Beckmann, T.E. Nichols, J.D. Ramsey, and M.W. Woolrich. Network modelling methods for FMRI. *NeuroImage*, 54:875–891, 2011.
- [110] B.B. Biswal, M. Mennes, X. Zuo, S. Gohel, C. Kelly, S.M. Smith, C.F. Beckmann, J.S. Adelstein, Others, and M.P. Milham. Towards discovery science of human brain function. *Proc Natl Acad Sci USA (PNAS)*, 107(10):4734–9, 2010.
- [111] David M. Cole, Stephen M. Smith, and Christian F. Beckmann. Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. *Frontiers in Systems Neuroscience*, 4(8):1–15, 2010.
- [112] D.A. Feinberg, S. Moeller, S.M. Smith, E. Auerbach, S. Ramanna, M.F. Glasser, K.L. Miller, K. Ugurbil, and E. Yacoub. Multiplexed echo planar imaging for sub-second whole brain FMRI and fast diffusion imaging. *PLoS ONE*, 5(12):e15710, 2010.
- [113] A. Giorgio, K.E. Watkins, M. Chadwick, S. James, L. Winmill, G. Douaud, N. De Stefano, P.M. Matthews, S.M. Smith, H. Johansen-Berg, and A.C. James. Longitudinal changes in grey and white matter during adolescence. *NeuroImage*, 49(1):94–103, 2010.
- [114] A. Giorgio, L. Santelli, V. Tomassini, R. Bosnell, S. Smith, N. De Stefano, and H. Johansen-Berg. Age-related changes in grey and white matter structure throughout adulthood. *NeuroImage*, 51(3):943–951, 2010.
- [115] D.C. Glahn, A.M. Winkler, P. Kochunov, L. Almasy, R. Duggirala, M.A. Carless, J.C. Curran, R.L. Olvera, A.R. Laird, S.M. Smith, C.F. Beckmann, P.T. Fox, and J. Blangero. Genetic control over the resting brain. *Proc Natl Acad Sci USA (PNAS)*, 107(3):1223–1228, 2010.
- [116] S. Jbabdi, T. E. Behrens, and S. M. Smith. Crossing fibres in tract-based spatial statistics. *Neuroimage*, 49:249–256, 2010.
- [117] P. Kochunov, D.C. Glahn, J.L. Lancaster, A.M. Winkler, S. Smith, P.M. Thompson, L. Almasy, R. Duggirala, P.T. Fox, and J. Blangero. Genetics of microstructure of cerebral white matter using diffusion tensor imaging. *NeuroImage*, 53(3):1109–1116, 2010.
- [118] K.L. Miller, S.M. Smith, and P. Jezzard. Asymmetries of the balanced SSFP profile. Part II: White matter. *Magnetic Resonance in Medicine*, 63:396–406, 2010.
- [119] S.D. Roosendaal, M.M. Schoonheim, H.E. Hulst, E.J. Sanz-Arigita, S.M. Smith, J.J.G. Geurts, and F. Barkhof. Resting state networks change in clinically isolated syndrome. *Brain*, 2010.
- [120] A.D. Smith, S.M. Smith, C.A. de Jager, P. Whitbread, C. Johnston, G. Agacinski, A. Oulhaj, K.M. Bradley, R. Jacoby, and H. Refsum. Homocysteine-lowering by B vitamins slows the rate of accelerated brain atrophy in mild cognitive impairment. A randomized controlled trial. *PLoS ONE*, 5(9):e12244, 2010.
- [121] M. Zarei, B. Patenaude, J. Damoiseaux, C. Morgese, S. Smith, P.M. Matthews, F. Barkhof, S. Rombouts, E. Sanz-Arigita, and M. Jenkinson. Combining shape and connectivity analysis: An MRI study of thalamic degeneration in Alzheimer’s disease. *NeuroImage*, 49:1–8, 2010.

- [122] K.O. Babalola, B. Patenaude, P. Aljabar, J. Schnabel, D. Kennedy, W. Crum, S. Smith, T. Cootes, M. Jenkinson, and D. Rueckert. An evaluation of four automatic methods of segmenting the subcortical structures in the brain. *NeuroImage*, 47(4):1435–1447, 2009.
- [123] O. Ciccarelli, T.E. Behrens, H. Johansen-Berg, K. Talbot, R.W. Orrell, R.S. Howard, R.G. Nunes, D.H. Miller, P.M. Matthews, A.J. Thompson, and S.M. Smith. Investigation of white matter pathology in ALS and PLS using tract-based spatial statistics. *Human Brain Mapping*, 30(2):615–624, 2009.
- [124] J.S. Damoiseaux, S.M. Smith, M.P. Witter, E.J. Sanz-Arigita, F. Barkhof, P. Scheltens, C.J. Stam, M. Zarei, and S.A.R.B. Rombouts. White matter tract integrity in aging and Alzheimer's disease. *Human Brain Mapping*, 30(4):1051–1059, 2009.
- [125] G. Douaud, C. Mackay, J. Andersson, S. James, D. Quested, M. Kar Ray, J. Connell, N. Roberts, T.J. Crow, P.M. Matthews, S. Smith, and A. James. Schizophrenia delays and alters maturation of the brain in adolescence. *Brain*, 132:2437–2448, 2009.
- [126] N. Filippini, B.J. MacIntosh, M.G. Hough, G.M. Goodwin, G.B. Frisoni, S.M. Smith, P.M. Matthews, C.F. Beckmann, and C.E. Mackay. Distinct patterns of brain activity in young carriers of the APOE-e4 allele. *Proc Natl Acad Sci USA (PNAS)*, 106:7209–7214, 2009.
- [127] Gordon L. Kindlmann, Raúl San José Estépar, Stephen M. Smith, and Carl-Fredrik Westin. Sampling and visualizing creases with scale-space particles. *IEEE Trans. Visualization and Computer Graphics*, 15(6):1415–1424, Nov/Dec 2009.
- [128] R.K. Niazy, C.F. Beckmann, J.M. Brady, and S.M. Smith. Performance evaluation of ensemble empirical mode decomposition. *Advances in Adaptive Data Analysis*, 1(2):231–242, 2009.
- [129] S.A.R.B. Rombouts, J.S. Damoiseaux, R. Goekoop, F. Barkhof, P. Scheltens, S.M. Smith, and C.F. Beckmann. Model-free group analysis shows altered BOLD fMRI networks in dementia. *Human Brain Mapping*, 30(1):256–266, 2009.
- [130] Gholamreza Salimi-Khorshidi, Stephen M Smith, John R Keltner, Tor D Wager, and Thomas E Nichols. Meta-analysis of neuroimaging data: A comparison of image-based and coordinate-based pooling of studies. *NeuroImage*, 45(3):810–823, Jan 2009.
- [131] S.M. Smith and T.E. Nichols. Threshold-free cluster enhancement: Addressing problems of smoothing, threshold dependence and localisation in cluster inference. *NeuroImage*, 44(1):83–98, 2009.
- [132] S.M. Smith, P.T. Fox, K.L. Miller, D.C. Glahn, P.M. Fox, C.E. Mackay, N. Filippini, K.E. Watkins, R. Toro, A.R. Laird, and C.F. Beckmann. Correspondence of the brain's functional architecture during activation and rest. *Proc Natl Acad Sci USA (PNAS)*, 106(31):13040–13045, 2009.
- [133] M.W. Woolrich, S. Jbabdi, B. Patenaude, M. Chappell, S. Makni, T. Behrens, C. Beckmann, M. Jenkinson, and S.M. Smith. Bayesian analysis of neuroimaging data in FSL. *NeuroImage*, 45:S173–186, 2009.
- [134] M. Zarei, J. Damoiseaux, C. Morgese, C. Beckmann, S. Smith, P.M. Matthews, P. Scheltens, S. Rombouts, and F. Barkhof. Regional white matter integrity differentiates between vascular dementia and Alzheimer's disease. *Stroke*, 40:773–779, 2009.
- [135] M. Battaglini, S.M. Smith, S. Brogi, and N. De Stefano. Enhanced brain extraction improves the accuracy of brain atrophy estimation. *NeuroImage*, 40(2):583–589, 2008.
- [136] R. Bosnell, C. Wegner, Z.T. Kincses, Y. Korteweg, F. Agosta, O. Ciccarelli, N. De Stefano, A. Gass, J. Hirsch, H. Johansen-Berg, L. Kappos, F. Barkhof, L. Mancini, F. Manfredonia, S. Marino, D.H. Miller, X. Montalban, J. Palace, M. Rocca, S. Ropele, A. Rovira, S. Smith, A. Thompson, J. Thornton, T. Yousry, B. Whitcher, M. Filippi, and P.M. Matthews. Reproducibility of fMRI in the clinical setting: Implications for trial designs. *NeuroImage*, 42(2):603–610, 2008.
- [137] J.S. Damoiseaux, C.F. Beckmann, E.J. Sanz Arigita, F. Barkhof, P. Scheltens, C.J. Stam, S.M. Smith, and S.A.R.B. Rombouts. Reduced resting-state brain activity in the 'default network' in normal aging. *Cerebral Cortex*, 18(8):1856–1864, 2008.
- [138] A. Giorgio, K.E. Watkins, G. Douaud, A.C. James, S. James, N. De Stefano, P.M. Matthews, S.M. Smith, and H. Johansen-Berg. Changes in white matter microstructure during adolescence. *NeuroImage*, 39(1):52–61, 2008.

- [139] A. Giorgio, M. Battaglini, S.M. Smith, and N. De Stefano. Brain atrophy assessment in multiple sclerosis: Importance and limitations. *Neuroimaging Clinics of North America*, 18(4):675–686, 2008.
- [140] S. Makni, C. Beckmann, S. Smith, and M. Woolrich. Bayesian deconvolution of fMRI data using bilinear dynamical systems. *NeuroImage*, 42:1381–1396, 2008.
- [141] S.C. Manson, C. Wegner, M. Filippi, F. Barkhof, C. Beckmann, O. Ciccarelli, N. De Stefano, C. Enzinger, F. Fazekas, F. Agosta, A. Gass, J. Hirsch, H. Johansen-Berg, L. Kappos, T. Korteweg, C. Polman, L. Mancini, F. Manfredonia, S. Marino, D.H. Miller, X. Montalban, J. Palace, M. Rocca, S. Ropele, A. Rovira, S. Smith, A. Thompson, J. Thornton, T. Yousry, J.A. Frank, and P.M. Matthews. Impairment of movement-associated brain deactivation in multiple sclerosis: Further evidence for a functional pathology of interhemispheric neuronal inhibition. *Experimental Brain Research*, 187:25–31, 2008.
- [142] N. Voets, M. Hough, G. Douaud, P.M. Matthews, A. James, L. Winmill, P. Webster, and S.M. Smith. Evidence for abnormalities of cortical development in adolescent-onset schizophrenia. *NeuroImage*, 43:665–675, 2008.
- [143] A. Vogiatzoglou, H. Refsum, C. Johnston, S.M. Smith, K.M. Bradley, C. de Jager, M.M. Budge, and A.D. Smith. Vitamin B12 status and rate of brain volume loss in community-dwelling elderly. *Neurology*, 71:826–832, 2008.
- [144] K.E. Watkins, S.M. Smith, S. Davis, and P. Howell. Structural and functional abnormalities of the motor system in developmental stuttering. *Brain*, 131:50–59, 2008.
- [145] C. Wegner, M. Filippi, T. Korteweg, C. Beckmann, O. Ciccarelli, N. De Stefano, C. Enzinger, F. Fazekas, F. Agosta, A. Gass, J. Hirsch, H. Johansen-Berg, L. Kappos, F. Barkhof, C. Polman, L. Mancini, F. Manfredonia, S. Marino, D.H. Miller, X. Montalban, J. Palace, M. Rocca, S. Ropele, A. Rovira, S. Smith, A. Thompson, J. Thornton, T. Yousry, and P.M. Matthews. Relating functional changes during hand movement to clinical parameters in patients with multiple sclerosis in a multi-centre fMRI study. *European Journal of Radiology*, 15:113–122, 2008.
- [146] A.R. Aron, T.E. Behrens, S. Smith, M.J. Frank, and R.A. Poldrack. Triangulating a cognitive control network using diffusion-weighted MRI and functional MRI. *Journal of Neuroscience*, 27(14):3743–3752, 2007.
- [147] A.J. Bartsch, G. Homola, A. Biller, S.M. Smith, H-G. Weijers, G.A. Wiesbeck, M. Jenkinson, N. De Stefano, L. Solymosi, and M. Bendszus. Manifestations of early brain recovery associated with abstinence from alcoholism. *Brain*, 130(1):36–47, 2007.
- [148] S. Cader, H. Johansen-Berg, M. Wylezinska, J. Palace, T.E. Behrens, S. Smith, and P.M. Matthews. Discordant white matter N-acetylaspartate and diffusion MRI measures suggest that chronic metabolic dysfunction contributes to axonal pathology in multiple sclerosis. *NeuroImage*, 36(1):19–27, 2007.
- [149] N. De Stefano, M. Battaglini, and S.M. Smith. Measuring brain atrophy in multiple sclerosis. *J Neuroimaging*, 17s1:10–15S, 2007.
- [150] G. Douaud, S. Smith, M. Jenkinson, T. Behrens, H. Johansen-Berg, J. Vickers, S. James, N. Voets, K. Watkins, P.M. Matthews, and A. James. Anatomically-related grey and white matter abnormalities in adolescent-onset schizophrenia. *Brain*, 130:2375–2386, 2007.
- [151] B. Jasperse, P. Valsasina, V. Neacsu, D.L. Knol, N. De Stefano, C. Enzinger, S.M. Smith, S. Ropele, T. Korteweg, A. Giorgio, V. Anderson, C.H. Polman, M. Filippi, D.H. Miller, M. Rovaris, F. Barkhof, H. Vrenken, and MAGNIMS. Inter-center agreement of brain atrophy measurement in Multiple Sclerosis patients using manually edited SIENAX and SIENA. *Journal of Magnetic Resonance Imaging*, 26:881–885, 2007.
- [152] B. Jasperse, H. Vrenken, E. Sanz-Arigita, V. de Groot, S.M. Smith, C.H. Polman, and F. Barkhof. Regional brain atrophy development is related to specific aspects of clinical dysfunction in Multiple Sclerosis. *NeuroImage*, 38(3):529–537, 2007.
- [153] H. Johansen-Berg, V. Della-Maggiore, T.E.J. Behrens, S.M. Smith, and T. Paus. Integrity of white matter in the corpus callosum correlates with bimanual co-ordination skills. *NeuroImage*, 36 Supp. 2:T16–21, 2007.
- [154] P. Kochunov, P.M. Thompson, J.L. Lancaster, G. Bartzokis, S. Smith, T. Coyle, D.R. Royall, A. Laird, and P.T. Fox. Relationship between white matter fractional anisotropy and other indices of cerebral health in normal aging: Tract-Based Spatial Statistics study of aging. *NeuroImage*, 35(2):478–487, 2007.
- [155] K.L. Miller, S.M. Smith, P. Jezzard, G.C. Wiggins, and C.J. Wiggins. Signal and noise characteristics of SSFP fMRI: A comparison with GRE at multiple field strengths. *NeuroImage*, 37:1227–1236, 2007.

- [156] S.M. Smith, H. Johansen-Berg, M. Jenkinson, D. Rueckert, T.E. Nichols, K.L. Miller, M.D. Robson, D.K. Jones, J.C. Klein, A.J. Bartsch, and T.E.J. Behrens. Acquisition and voxelwise analysis of multi-subject diffusion data with Tract-Based Spatial Statistics. *Nature Protocols*, 2(3):499–503, 2007.
- [157] S.M. Smith, M. Jenkinson, C.F. Beckmann, K.L. Miller, and M. Woolrich. Meaningful design and contrast estimability in fMRI. *NeuroImage*, 34(1):127–136, 2007.
- [158] S.M. Smith, A. Rao, N. De Stefano, M. Jenkinson, J.M. Schott, P.M. Matthews, and N.C. Fox. Longitudinal and cross-sectional analysis of atrophy in Alzheimer's disease: Cross-validation of BSI, SIENA and SIENAX. *NeuroImage*, 36(4):1200–1206, 2007.
- [159] C.F. Beckmann, M.J. Jenkinson, M.W. Woolrich, T.E.J. Behrens, D.E. Flitney, J.T. Devlin, and S.M. Smith. Applying FSL to the FIAC data: Model-based and model-free analysis of voice and sentence repetition priming. *Human Brain Mapping*, 27:380–391, 2006.
- [160] T.E.J. Behrens, M. Jenkinson, M.D. Robson, S.M. Smith, and H. Johansen-Berg. A consistent relationship between local white matter architecture and functional specialisation in medial frontal cortex. *NeuroImage*, 30(1):220–227, 2006.
- [161] J.S. Damoiseaux, S.A.R.B. Rombouts, F. Barkhof, P. Scheltens, C.J. Stam, S.M. Smith, and C.F. Beckmann. Consistent resting-state networks across healthy subjects. *Proc Natl Acad Sci USA*, 103(37):13848–13853, 2006.
- [162] C. Enzinger, S. Smith, F. Fazekas, G. Drevin, S. Ropele, T. Nichols, T. Behrens, R. Schmidt, and P.M. Matthews. Lesion probability maps of white matter hyperintensities in elderly individuals. *Journal of Neurology*, 253(8):1064–70, 2006.
- [163] K.L. Miller, S.M. Smith, P. Jezzard, and J.M. Pauly. High-resolution fMRI at 1.5T using balanced SSFP. *Magnetic Resonance in Medicine*, 55(1):161–170, 2006.
- [164] S.M. Smith, M. Jenkinson, H. Johansen-Berg, D. Rueckert, T.E. Nichols, C.E. Mackay, K.E. Watkins, O. Ciccarelli, M.Z. Cader, P.M. Matthews, and T.E.J. Behrens. Tract-based spatial statistics: Voxelwise analysis of multi-subject diffusion data. *NeuroImage*, 31:1487–1505, 2006.
- [165] M. Zarei, H. Johansen-Berg, S. Smith, O. Ciccarelli, A.J. Thompson, and P.M. Matthews. Functional anatomy of interhemispheric cortical connections in the human brain. *J Anat.*, 209:311–320, 2006.
- [166] C.F. Beckmann and S.M. Smith. Tensorial extensions of independent component analysis for multisubject fMRI analysis. *NeuroImage*, 25(1):294–311, 2005.
- [167] C.F. Beckmann, M. De Luca, J.T. Devlin, and S.M. Smith. Investigations into resting-state connectivity using independent component analysis. *Philosophical Transactions of the Royal Society*, 360(1457):1001–1013, 2005.
- [168] S.P. David, M.R. Munafò, H. Johansen-Berg, S.M. Smith, R.D. Rogers, P.M. Matthews, and R.T. Walton. Ventral striatum/nucleus accumbens activation to smoking-related pictorial cues in smokers and nonsmokers: A functional magnetic resonance imaging study. *Biol Psychiatry*, 58:488–494, 2005.
- [169] M. De Luca, C.F. Beckmann, N. De Stefano, P.M. Matthews, and S.M. Smith. fMRI resting state networks define distinct modes of long-distance interactions in the human brain. *NeuroImage*, 29(4):1359–1367, 2005.
- [170] M. De Luca, S. Smith, N. De Stefano, A. Federico, and P.M. Matthews. Blood oxygenation level dependent contrast resting state networks are relevant to functional activity in the neocortical sensorimotor system. *Experimental Brain Research*, 167(4):587–594, 2005.
- [171] C. Enzinger, F. Fazekas, P.M. Matthews, S. Ropele, H. Schmidt, S. Smith, and R. Schmidt. Risk factors for progression of brain atrophy in aging. Six-year follow-up of normal subjects. *Neurology*, 64:1704–1711, 2005.
- [172] H. Johansen-Berg, T.E.J. Behrens, E.L. Sillery, O. Ciccarelli, C.A.M. Wheeler-Kingshott, A.J. Thompson, S.M. Smith, and P.M. Matthews. Functional-anatomical validation and individual variation of diffusion tractography-based segmentation of the human thalamus. *Cerebral Cortex*, 15:31–39, 2005.
- [173] R.K. Niazy, C.F. Beckmann, G.D. Iannetti, J.M. Brady, and S.M. Smith. Removal of fMRI environment artifacts from EEG data using optimal basis sets. *NeuroImage*, 28(3):720–737, November 2005.
- [174] C.N.L. Olivers, S. Smith, P. Matthews, and G.W. Humphreys. Prioritizing new over old: An fMRI study of the preview search task. *Human Brain Mapping*, 24(1):69–78, 2005.

- [175] R. Schmidt, S. Ropele, C. Enzinger, K. Petrovic, S. Smith, H. Schmidt, P.M. Matthews, and F. Fazekas. White matter lesion progression, brain atrophy, and cognitive decline: The Austrian stroke prevention study. *Annals of Neurology*, 58(4):610–616, October 2005.
- [176] S.M. Smith, C.F. Beckmann, N. Ramnani, M.W. Woolrich, P.R. Bannister, M. Jenkinson, P.M. Matthews, and D.J. McGonigle. Variability in fMRI: A re-examination of intersession differences. *Human Brain Mapping*, 24:248–257, 2005.
- [177] M.W. Woolrich, T.E.J. Behrens, C.F. Beckmann, and S.M. Smith. Mixture models with adaptive spatial regularisation for segmentation with an application to fMRI data. *IEEE Trans. on Medical Imaging*, 24(1):1–11, 2005.
- [178] C.F. Beckmann and S.M. Smith. Probabilistic independent component analysis for functional magnetic resonance imaging. *IEEE Trans. on Medical Imaging*, 23(2):137–152, 2004.
- [179] J.T. Chen, S. Narayanan, D.L. Collins, S.M. Smith, P.M. Matthews, and D.L. Arnold. Relating neocortical pathology to disability progression in multiple sclerosis using MRI. *NeuroImage*, 23(3):1168–1175, 2004.
- [180] C. Enzinger, S. Ropele, S. Smith, S. Strasser-Fuchs, B. Poltrum, H. Schmidt, P.M. Matthews, and F. Fazekas. Accelerated evolution of brain atrophy and black holes in MS patients with APOE-e4. *Annals of Neurology*, 55(4):563–569, 2004.
- [181] M. Filippi, M. Rovaris, M. Inglese, F. Barkhof, N. De Stefano, S. Smith, and P.G. Comi. Interferon beta-1a for brain tissue loss in patients at presentation with syndromes suggestive of multiple sclerosis: A randomised, double-blind, placebo-controlled trial. *Lancet*, 364(9444):1489–1496, 2004.
- [182] H. Johansen-Berg, T.E.J. Behrens, M.D. Robson, I. Drobnyak, M.F.S. Rushworth, J.M. Brady, S.M. Smith, D.J. Higham, and P.M. Matthews. Changes in connectivity profiles define functionally distinct regions in human medial frontal cortex. *Proc Natl Acad Sci U S A*, 101(36):13335–13340, 2004.
- [183] R.D. Rogers, N. Ramnani, C. Mackay, J.L. Wilson, P. Jezzard, C.S. Carter, and S.M. Smith. Distinct portions of anterior cingulate cortex and medial prefrontal cortex are activated by reward processing in separable phases of decision-making cognition. *Biological Psychiatry*, 55(6):594–602, March 2004.
- [184] S. Saini, N. De Stefano, S. Smith, L. Guidi, M.P. Amato, A. Federico, and P.M. Matthews. Altered cerebellar functional connectivity mediates potential adaptive plasticity in patients with multiple sclerosis. *Journal of Neurology Neurosurgery and Psychiatry*, 75:840–846, 2004.
- [185] S.M. Smith, M. Jenkinson, M.W. Woolrich, C.F. Beckmann, T.E.J. Behrens, H. Johansen-Berg, P.R. Bannister, M. De Luca, I. Drobnyak, D.E. Flitney, R. Niazy, J. Saunders, J. Vickers, Y. Zhang, N. De Stefano, J.M. Brady, and P.M. Matthews. Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23(S1):208–219, 2004.
- [186] S.M. Smith. Overview of fMRI analysis. *British Journal of Radiology*, 77:S167–175, 2004.
- [187] M.W. Woolrich, M. Jenkinson, J.M. Brady, and S.M. Smith. Fully Bayesian spatio-temporal modelling of fMRI data. *IEEE Trans. on Medical Imaging*, 23(2):213–231, 2004.
- [188] M.W. Woolrich, T.E.J. Behrens, C.F. Beckmann, M. Jenkinson, and S.M. Smith. Multi-level linear modelling for fMRI group analysis using Bayesian inference. *NeuroImage*, 21(4):1732–1747, 2004.
- [189] M.W. Woolrich, T.E.J. Behrens, and S.M. Smith. Constrained linear basis sets for HRF modelling using Variational Bayes. *NeuroImage*, 21(4):1748–1761, 2004.
- [190] C.F. Beckmann, M. Jenkinson, and S.M. Smith. General multi-level linear modelling for group analysis in fMRI. *NeuroImage*, 20:1052–1063, 2003.
- [191] T.E.J. Behrens, H. Johansen-Berg, M.W. Woolrich, S.M. Smith, C.A.M. Wheeler-Kingshott, P.A. Boulby, G.J. Barker, E.L. Sillery, K. Sheehan, O. Ciccarelli, A.J. Thompson, J.M. Brady, and P.M. Matthews. Non-invasive mapping of connections between human thalamus and cortex using diffusion imaging. *Nature Neuroscience*, 6(7):750–757, 2003.
- [192] T.E.J. Behrens, M.W. Woolrich, M. Jenkinson, H. Johansen-Berg, R.G. Nunes, S. Clare, P.M. Matthews, J.M. Brady, and S.M. Smith. Characterization and propagation of uncertainty in diffusion-weighted MR imaging. *Magn Reson Med*, 50(5):1077–1088, 2003.

- [193] N. De Stefano, P.M. Matthews, M. Filippi, F. Agosta, M. De Luca, M.L. Bartolozzi, L. Guidi, A. Ghezzi, E. Montanari, A. Cifelli, A. Federico, and S.M. Smith. Evidence of early cortical atrophy in MS. *Neurology*, 60:1157–1162, 2003.
- [194] J.L. Marchini and S.M. Smith. On bias in the estimation of autocorrelations for fMRI voxel time-series analysis. *NeuroImage*, 18(1):83–90, 2003.
- [195] P.M. Matthews, J. Adcock, Y. Chen, S. Fu, J.T. Devlin, M.F.S. Rushworth, S. Smith, C. Beckmann, and S. Iversen. Towards understanding language organisation in the brain using fMRI. *Human Brain Mapping*, 18(3):239–247, 2003.
- [196] A. Parry, S. Clare, M. Jenkinson, S.M. Smith, J. Palace, and P.M. Matthews. MRI brain T1 relaxation time changes in MS patients increase over time in both the white matter and the cortex. *Journal of Neuroimaging*, 13(3):234–9, 2003.
- [197] A.M.M. Parry, R.B. Scott, J. Palace, S. Smith, and P.M. Matthews. Potentially adaptive functional changes in cognitive processing for patients with multiple sclerosis and their acute modulation by rivastigmine. *Brain*, 126(12):2750–2760, 2003.
- [198] S.J. Bantick, R.G. Wise, A. Ploghaus, S. Clare, S.M. Smith, and I. Tracey. Imaging how attention modulates pain in humans using functional MRI. *Brain*, 125(2):310–319, 2002.
- [199] Y. Chen, S. Fu, S.D. Iversen, S.M. Smith, and P.M. Matthews. Testing for dual brain processing routes in reading: A direct contrast of Chinese character and Pinyin reading using fMRI. *Journal of Cognitive Neuroscience*, 14(7):1088–1098, 2002.
- [200] N. De Stefano, S. Narayanan, S.J. Francis, S. Smith, M. Mortilla, M.L. Tartaglia, M.C. Bartolozzi, L. Guidi, A. Federico, and D.L. Arnold. Diffuse axonal and tissue injury in patients with multiple sclerosis with low cerebral lesion load and no disability. *Arch. Neurol.*, 59(10):1565–71, 2002.
- [201] S. Fu, Y. Chen, S. Smith, S. Iversen, and P. Matthews. Effects of word form on brain processing of written chinese. *NeuroImage*, 17:1538–1548, 2002.
- [202] D. Hall, M. Gonçalves, S. Smith, P. Jezzard, M. Haggard, and J. Kornak. A method for determining venous contribution to BOLD contrast functional activation. *Magnetic Resonance Imaging*, 20(10):695–706, 2002.
- [203] M. Jenkinson, P.R. Bannister, J.M. Brady, and S.M. Smith. Improved optimisation for the robust and accurate linear registration and motion correction of brain images. *NeuroImage*, 17(2):825–841, 2002.
- [204] H. Johansen-Berg, H. Dawes, C. Guy, S.M. Smith, D.T. Wade, and P.M. Matthews. Correlation between motor improvements and altered fMRI activity after rehabilitative therapy. *Brain*, 125:2731–42, 2002.
- [205] A.C.H. Lee, T.W. Robbins, S. Smith, G.A. Calvert, I. Tracey, P. Matthews, and A.M. Owen. Evidence for asymmetric frontal-lobe involvement in episodic memory from functional magnetic resonance imaging and patients with unilateral frontal-lobe excisions. *Neuropsychologia*, 40(13):2420–2437, 2002.
- [206] A. Parry, A. Clare, M. Jenkinson, S. Smith, J. Palace, and P.M. Matthews. White matter and lesion T1 relaxation times increase in parallel and correlate with disability in multiple sclerosis. *Journal of Neurology*, 249(9):1279–1286, June 2002.
- [207] S.M. Smith, Y. Zhang, M. Jenkinson, J. Chen, P.M. Matthews, A. Federico, and N. De Stefano. Accurate, robust and automated longitudinal and cross-sectional brain change analysis. *NeuroImage*, 17(1):479–489, 2002.
- [208] S.M. Smith. Fast robust automated brain extraction. *Human Brain Mapping*, 17(3):143–155, November 2002.
- [209] K.A. Smith, A. Ploghaus, P. Cowen, J.M. McCleery, G.M. Goodwin, S. Smith, I. Tracey, and P.M. Matthews. Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. *British Journal of Psychiatry*, 181:411–415, 2002.
- [210] V.L. Stevenson, S.M. Smith, P.M. Matthews, D.H. Miller, and A.J. Thompson. Monitoring disease activity and progression in primary progressive multiple sclerosis using MRI: sub-voxel registration to identify lesion changes and to detect cerebral atrophy. *Journal of Neurology*, 249(2):171–177, 2002.
- [211] I. Tracey, A. Ploghaus, J.S. Gati, S. Clare, S. Smith, R.S. Menon, and P.M. Matthews. Imaging attentional modulation of pain in the periaqueductal gray in humans. *Journal of Neuroscience*, 22(7):2748–2752, 2002.

- [212] N. Evangelou, D. Konz, M.M. Esiri, S. Smith, J. Palace, and P.M. Matthews. Size-selective neuronal changes in the anterior optic pathways suggest a differential susceptibility to injury in multiple sclerosis. *Brain*, 124(9):1813–1820, 2001.
- [213] M. Jenkinson and S.M. Smith. A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, 5(2):143–156, 2001.
- [214] S.M. Smith, N. De Stefano, M. Jenkinson, and P.M. Matthews. Normalised accurate measurement of longitudinal brain change. *Journal of Computer Assisted Tomography*, 25(3):466–475, May/June 2001.
- [215] M.W. Woolrich, B.D. Ripley, J.M. Brady, and S.M. Smith. Temporal autocorrelation in univariate linear modelling of fMRI data. *NeuroImage*, 14(6):1370–1386, 2001.
- [216] Y. Zhang, M. Brady, and S. Smith. Segmentation of brain MR images through a hidden Markov random field model and the expectation maximization algorithm. *IEEE Trans. on Medical Imaging*, 20(1):45–57, 2001.
- [217] N. Evangelou, D. Konz, M.M. Esiri, S. Smith, J. Palace, and P.M. Matthews. Regional axonal loss in the corpus callosum correlates with cerebral white matter lesion volume and distribution in multiple sclerosis. *Brain*, 123(9):1845–1849, 2000.
- [218] M. Lee, H. Reddy, H. Johansen-Berg, S. Pendlebury, M. Jenkinson, S. Smith, J. Palace, and P.M. Matthews. The motor cortex shows adaptive functional changes to brain injury from multiple sclerosis. *Annals of Neurology*, 47(5):606–613, 2000.
- [219] R. Pineiro, S.T. Pendlebury, S. Smith, D. Flitney, A.M. Blamire, P. Styles, and P.M. Matthews. Relating MRI changes to motor deficit after ischemic stroke by segmentation of functional motor pathways. *Stroke*, 31(1):672–9, March 2000.
- [220] P.M. Hayton, M. Brady, S.M. Smith, and N. Moore. A non-rigid registration algorithm for dynamic breast MR images. *Artificial Intelligence*, 114:125–156, 1999.
- [221] M.A. Lee, S. Smith, J. Palace, S. Narayanan, N. Silver, L. Minicucci, M. Filippi, D.H. Miller, D.L. Arnold, and P.M. Matthews. Spatial mapping of T2 and gadolinium-enhancing T1 lesion volumes in MS: Evidence for distinct mechanisms of lesion genesis? *Brain*, 122:1261–1270, 1999.
- [222] S.M. Smith. ASSET-2: Real-time motion segmentation and object tracking. *Journal of Real Time Imaging*, 4(1):21–40, 1998.
- [223] M.A. Lee, S. Smith, J. Palace, and P.M. Matthews. Defining multiple sclerosis disease activity using MRI T₂-weighted difference imaging. *Brain*, 121:2095–2102, 1998.
- [224] S.M. Smith and J.M. Brady. SUSAN - a new approach to low level image processing. *International Journal of Computer Vision*, 23(1):45–78, May 1997.
- [225] S.M. Smith. ALTRUISM: Interpretation of three-dimensional information for autonomous vehicle control. *Engineering Applications of Artificial Intelligence*, 8(3):271–280, 1995.
- [226] S.M. Smith and J.M. Brady. ASSET-2: Real-time motion segmentation and shape tracking. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 17(8):814–820, 1995.
- [227] S.M. Smith and J.M. Brady. A scene segmenter; visual tracking of moving vehicles. *Engineering Applications of Artificial Intelligence*, 7(2):191–204, April 1994.
- [228] S.M. Smith. Note on small angle approximations for stereo disparity. *Image and Vision Computing*, 11(6), July 1993.
- [229] D. Sinclair, A. Blake, S. Smith, and C. Rothwell. Planar region detection and motion recovery. *Image and Vision Computing*, 11(4):229–234, May 1993.

smith_old, /usr/local/fmrib/tex/bib/fmribanalysis